

---

Vol. 89 1984

# CHROMOSOMA

---

**Founder and Senior Editor**

H. BAUER, Erlangen

**Managing Editors**

W. BEERMANN, Tübingen

W. HENNIG, Nijmegen

J.H. TAYLOR, Tallahassee

**Editors**

C. BOSTOCK, Edinburgh

J.-E. EDSTRÖM, Heidelberg

T.C. HSU, Houston

B. JOHN, Canberra

H.C. MACGREGOR, Leicester

M.L. PARDUE, Cambridge, Mass

D. SCHWEIZER, Wien

A. SPRADLING, Baltimore

H. STERN, La Jolla

M.F. TRENDLENBURG, Heidelberg

D. von WETTSTEIN, Copenhagen

S. WOLFF, San Francisco

**Copy Editor**

C. STRAUSFELD, Heidelberg



Springer International

# Chromosoma

Founded in 1939 as *Chromosoma, Zeitschrift für Zellkern- und Chromosomenforschung* by H. Bauer et al. Vols 1 and 2 were subtitled: *Abteilung B der Zeitschrift für Zellforschung und mikroskopische Anatomie*, Berlin, Springer. Vol. 3 without second subtitle, Wien, Springer 1947–1950. From Vol. 4 Berlin, Springer and from Vol. 4, No. 7, without any subtitle.

## Copyright

Submission of a manuscript implies that the work described has not been published before (except in the form of an abstract or as part of a published lecture, review or thesis), that it is not under consideration for publication elsewhere, that its publication has been approved by all the authors and by the responsible authorities – tacitly or explicitly – in the institutes where the work was carried out and that, if accepted, it will not be published elsewhere in the same form, in either the same or another language, without the consent of the copyright holders. By submitting a manuscript, the authors agree that the copyright for their article is transferred to the publisher if and when the article is accepted for publication. The copyright covers the exclusive rights to reproduce and distribute the article, including reprints, photographic reproduction, microform, electronic data base, video disks, or any other reproductions of similar nature, and translations.

Photographic reproduction, microform, electronic data base, video disks, or any other reproduction of text, figures, or tables from this journal is prohibited without permission obtained from the publisher.

The use of general descriptive names, trade names, trade marks, etc., in this publication, even if the former are not specifically identified, is not to be interpreted as exempt from the relevant protective laws and regulations.

## Special regulations for the USA

Photocopies may be made for personal or internal use beyond that permitted by Section 107 or 108 of the U.S. Copyright Law, provided a fee is paid. This fee is \$0.20 per page or a minimum of \$1.00 if an article consists of less than five pages. Please pay this fee to the Copyright Clearance Center, Inc., 21 Congress Street, Salem, MA 01970, USA, stating the ISSN 0009-5915, volume, and first and last page numbers of each article copied.

The copyright owner's consent does not extend to copying for general distribution, for promotion, for creating new works, or for resale. Specific written permission must be obtained from the publisher for such copying.

## Other regulations

Authors of this journal can benefit from library and photocopy fees collected by VG WORT if certain conditions are met. If an author lives in the Federal Republic of Germany or in West Berlin it is recommended that he contact Verwertungsgesellschaft WORT, Abteilung Wissenschaft, Goethestraße 49, D-8000 München 2, for detailed information.

Printed in Germany by Universitätsdruckerei Stürtz AG, Würzburg © Springer-Verlag, Berlin · Heidelberg 1984

# Table of Contents Volume 89

No. 1 pp. 1-84 issued on 20.1.1984

No. 2 pp. 85-168 issued on 15.2.1984

No. 3 pp. 169-242 issued on 26.3.1984

No. 4 pp. 243-320 issued on 18.4.1984

No. 5 pp. 321-397 issued on 25.5.1984

Albernaz, W.C., s. Laicine et al. . . . .	280-284	Franz, G., s. Grimm et al. . . . .	48-54
Almeida, J.C. de, s. Laicine et al. . . . .	280-284	Gabor Miklos, G.L., Healy, M.J., Pain, P., Howells, A.J., Russell, R.J.: Molecular and genetic studies on the euchromatin-heterochromatin transition region of the X chromosome of <i>Drosophila melanogaster</i> . 1. A cloned entry point near to the uncoordinated ( <i>unc</i> ) locus . . . . .	218-227
Alves, M.A.R., s. Laicine et al. . . . .	280-284	Ghosh, S., Paweletz, N.: Synchronous DNA synthesis and mitosis in multinucleate cells with one chromosome in each nucleus . . . . .	197-200
Angelier, N., Paintrand, M., Lavaud, A., Lechaire, J.P.: Scanning electron microscopy of amphibian lampbrush chromosomes . . . . .	243-253	Gill, B.S., s. Endo . . . . .	361-369
Arana, P., s. Henriques-Gil et al. . . . .	290-293	Grimm, C., Kunz, W., Franz, G.: The organ-specific rRNA gene number in <i>Drosophila hydei</i> is controlled by sex heterochromatin . . . . .	48-54
Árnason, Ú., Höglund, M., Widegren, B.: Conservation of highly repetitive DNA in cetaceans . . . . .	238-242	Grond, C.J., Rutten, R.G.J., Hennig, W.: Ultrastructure of the Y chromosomal lampbrush loops in primary spermatocytes of <i>Drosophila hydei</i> . . . . .	85-95
Ashburner, M., Harrington, G.: A cytological analysis of the Scutoid mutation of <i>Drosophila melanogaster</i> , and its induced revertants . . . . .	329-337	Haaf, T., Schmid, M.: An early stage of ZW/ZZ sex chromosome differentiation in <i>Poecilia sphenops</i> var. <i>melanistica</i> (Poeciliidae, Cyprinodontiformes) . . . . .	37-41
Ashburner, M., S. Lemeunier . . . . .	343-351	Harrington, G., s. Ashburner . . . . .	329-337
Ault, J.G.: Unipolar orientation stability of the sex univalent in the grasshopper ( <i>Melanoplus sanguinipes</i> ) . . . . .	201-205	Hartley, S.E., Horne, M.T.: Chromosome polymorphism and constitutive heterochromatin in the Atlantic salmon, <i>Salmo salar</i> . . . . .	377-380
Bäumlein, H., s. Panitz et al. . . . .	254-262	Hashiguchi, T., s. Tone et al. . . . .	228-237
Banz, E., s. Labhart et al. . . . .	111-120	Healy, M.J., s. Garbor Miklos et al. . . . .	218-227
Barry, E.G., s. Perkins et al. . . . .	8-17	Hennig, W., s. Grond et al. . . . .	85-95
Becker, J.L., s. Couderc et al. . . . .	338-342	Henriques-Gil, N., Santos, J.L., Arana, P.: Evolution of a complex B-chromosome polymorphism in the grasshopper <i>Eyprepocnemis plorans</i> . . . . .	290-293
Beermann, S.: Circular and linear structures in chromatin diminution of <i>Cyclops</i> . . . . .	321-328	Höglund, M., s. Árnason et al. . . . .	238-242
Benazzou, T., s. Viegas-Pequignot et al. . . . .	42-47	Honda, S., s. Lamppa et al. . . . .	1-7
Bendich, A.J., s. Lamppa et al. . . . .	1-7	Horne, M.T., s. Hartley . . . . .	377-380
Berger, R., s. Bernheim et al. . . . .	163-167	Horner, H.A., s. Sims et al. . . . .	169-185
Bernheim, A., Berger, R., Szabo, P.: Localization of actin-related sequences by in situ hybridization to R-banded human chromosomes . . . . .	163-167	Hotta, Y., Stern, H.: The organization of DNA segments undergoing repair synthesis during pachytene . . . . .	127-137
Best-Belpomme, M., s. Couclerc et al. . . . .	338-342	Howells, A.J., s. Garbor Miklos et al. . . . .	218-227
Bialojan, S., s. Renkawitz-Pohl . . . . .	206-211	Jan, K.Y., Jia Ling Yang, Pei Fen Su: DNA lysis is involved in the simplified fluorescence plus Giemsa method for differential staining of sister chromatids . . . . .	76-78
Buys, C.H.C.M., Osinga, J.: Selective staining of the same set of nucleolar phosphoproteins by silver and Giemsa. A combined biochemical and cytochemical study on staining of NORs . . . . .	387-396	Jia Ling Yang, s. Jan . . . . .	76-78
Castro, M.Di, s. Rocchi et al. . . . .	193-196	Jones, G.H., Tease, C.: Analysis of exchanges in differentially stained meiotic chromosomes of <i>Locusta migratoria</i> after BrdU-substitution and FPG staining. IV. The nature of "terminal" associations . . . . .	33-36
Cermeño, M.C., Orellana, J., Santos, J.L., Lacadena, J.R.: Nucleolar organizer activity in wheat, rye and derivatives analyzed by a silver-staining procedure . . . . .	370-376	Joseph, A.M., Chandley, A.C.: The morphological sequence of XY pairing in the Norway rat <i>Rattus norvegicus</i> . . . . .	381-386
Chandley, A.C., s. Joseph . . . . .	381-386	Kastritis, C.D., s. Scouras . . . . .	96-106
Couderc, J.L., Becker, J.L., Sobrier, M.L., Dastugue, B., Best-Belpomme, M., Lepesant, J.A., Pardue, M.L.: Isolation and chromosomal localization of ec-dysterone-responsive genes in a <i>Drosophila</i> cell line . . . . .	338-342	Koller, Th., s. Labhart et al. . . . .	111-120
Cowell, J.K.: A photographic representation of the variability in the G-banded structure of the chromosomes in the mouse karyotype. A guide to the identification of the individual chromosomes . . . . .	294-320	Kunz, W., s. Grimm et al. . . . .	48-54
Dastugue, B., s. Couderc et al. . . . .	338-342	Labhart, P., Banz, E., Ness, P.J., Parish, R.W., Koller, Th.: A structural concept for nucleoli of <i>Dictyostelium discoideum</i> deduced from dissociation studies . . . . .	111-120
Dutrillaux, B., s. Viegas-Pequignot et al. . . . .	42-47	Lacadena, J.R., s. Cermeño et al. . . . .	370-376
Duttagupta, A.K., s. Mutsuddi (née Das) et al. . . . .	55-62	Laemmli, U.K., s. Earnshaw . . . . .	186-192
Earnshaw, W.C., Laemmli, U.K.: Silver staining the chromosome scaffold . . . . .	186-192	Laicine, E.M., Alves, M.A.R., Almeida, J.C. de, Rizzo, E., Albernaz, W.C., Sauaia, H.: Development of DNA puffs and patterns of polypeptide synthesis in the salivary glands of <i>Bradysia hygida</i> . . . . .	280-284
Endo, T.R., Gill, B.S.: Somatic karyotype, heterochromatin distribution, and nature of chromosome differentiation in common wheat, <i>Triticum aestivum</i> L. em Thell . . . . .	361-369	Lakhota, S.C.: Replication in <i>Drosophila</i> chromosomes. XII. Reconfirmation of underreplication of heterochromatin in polytene nuclei by cytofluorometry . . . . .	63-67
Estades, B., s. Puertas et al. . . . .	121-126		

Lakhotia, S.C., Tiwari, P.K.: Replication in <i>Drosophila</i> chromosomes. XI. Differences in temporal order of replication in two polytene cell types in <i>Drosophila nasuta</i> . . . . .	212-217
Lamppa, G.K., Honda, S., Bendich, A.J.: The relationship between ribosomal repeat length and genome size in <i>Vicia</i> . . . . .	1-7
Lanza, V., s. Rocchi et al. . . . .	193-196
Lavaud, A., s. Angelier et al. . . . .	243-253
Lechaire, J.P., s. Angelier et al. . . . .	243-253
Lemeunier, F., Ashburner, M.: Relationships within the <i>melanogaster</i> species subgroup of the genus <i>Drosophila</i> ( <i>Sophophora</i> ). IV. The chromosomes of two new species . . . . .	343-351
Lepesant, J.A., s. Couderc et al. . . . .	338-342
Lipps, H.J., s. Meyer . . . . .	107-110
Macgregor, H.C., s. Sims et al. . . . .	169-185
Maguire, M.P.: The pattern of pairing that is effective for crossing over in complex B-A chromosome rearrangements in maize . . . . .	18-23
Marshall Graves, J.A.: Gene amplification in a mouse embryo? Double minutes in cell lines independently derived from a <i>Mus musculus</i> × <i>M. caroli</i> fetus . . . . .	138-142
Mehnert, K., s. Speit et al. . . . .	79-84
Merino, F., s. Puertas et al. . . . .	121-126
Meyer, G.F., Lipps, H.J.: Electron microscopy of surface spread polytene chromosomes of <i>Drosophila</i> and <i>Stylonychia</i> . . . . .	107-110
Mizuno, S., s. Tone et al. . . . .	228-237
Morgan, W.F., Wolff, S.: Effect of 5-bromodeoxyuridine substitution on sister chromatid exchange induction by chemicals . . . . .	285-289
Moritz, C.: The origin and evolution of parthenogenesis in <i>Heteronotia binoei</i> (Gekkonidae). I. Chromosome banding studies . . . . .	151-162
Mukherjee, A.S., s. Mutsuddi (née Das) et al. . . . .	55-62
Mutsuddi, D., s. Mutsuddi (née Das) et al. . . . .	55-62
Mutsuddi (née Das), M., Mutsuddi, D., Mukherjee, A.S., Duttagupta, A.K.: Conserved autonomy of replication of the X-chromosomes in hybrids of <i>Drosophila miranda</i> and <i>Drosophila persimilis</i> . . . . .	55-62
Naranjo, T., Orellana, J.: Meiotic behaviour of chromosomes 1R, 2R and 5R in autotetraploid rye . . . . .	143-150
Ness, P.J., s. Labhart et al. . . . .	111-120
Orellana, J., s. Cermeño et al. . . . .	370-376
Orellana, J., s. Naranjo . . . . .	143-150
Osinga, J., s. Buys . . . . .	387-396
Pain, P., s. Garbor Miklos et al. . . . .	218-227
Paintrand, M., s. Angelier et al. . . . .	243-253
Panitz, R., Bäumlein, H., Wobus, U., Serfling, E.: Self-complementary DNA sequences within the BRc gene of <i>Chironomus thummi</i> . . . . .	254-262
Pardue, M.L., s. Couderc et al. . . . .	338-342
Parish, R.W., s. Labhart et al. . . . .	111-120
Pawcletz, N., s. Ghosh . . . . .	197-200
Pei Fen Su, s. Jan . . . . .	76-78
Pellatt, P.S., s. Sims et al. . . . .	169-185
Peña, A. de la, s. Puertas et al. . . . .	121-126
Perkins, D.D., Raju, N.B., Barry, E.G.: A chromosome rearrangement in <i>Neurospora</i> that produces segmental aneuploid progeny containing only part of the nucleolus organizer . . . . .	8-17
Prantera, G., s. Rocchi et al. . . . .	193-196
Prod'Homme, M., s. Vigas-Pequignot et al. . . . .	42-47
Puertas, M.J., Peña, A. de la, Estades, B., Merino, F.: Early sensitivity to colchicine in developing anthers of rye . . . . .	121-126
Raju, N.B., s. Perkins et al. . . . .	8-17
Renkawitz-Pohl, R., Bialojan, S.: A DNA sequence of <i>Drosophila melanogaster</i> with a differential telomeric distribution . . . . .	206-211
Rizzo, E., s. Laicine et al. . . . .	280-284
Rocchi, A., Prantera, G., Lanza, V., Castro, M. Di: Incipient sex chromosome differentiation in an isopod crustacean species, <i>Asellus aquaticus</i> . . . . .	193-196
Russell, R.J., s. Garbor Miklos et al. . . . .	218-227
Rutten, R.G.J., s. Grond et al. . . . .	85-95
Sakaki, Y., s. Tone et al. . . . .	228-237
Santos, J.L., s. Cermeño et al. . . . .	370-376
Santos, J.L., s. Henriques-Gil et al. . . . .	290-293
Sauaia, H., s. Laicine et al. . . . .	280-284
Schmid, M., s. Haaf . . . . .	37-41
Schmidt, M., Stolzmann, W.M.: Replication variants of the human inactive X chromosome. II. Frequency and replication rate relative to the other chromosomes of the complement . . . . .	68-75
Scouras, Z.G., Kastiris, C.D.: Balbiani rings and puffs of the polytene chromosomes of <i>Drosophila auraria</i> . . . . .	96-106
Serfling, E., s. Panitz et al. . . . .	254-262
Sims, S.H., Macgregor, H.C., Pellatt, P.S., Horner, H.A.: Chromosome 1 in crested and marbled newts ( <i>Triturus</i> ). An extraordinary case of heteromorphism and independent chromosome evolution . . . . .	169-185
Sobrier, M.L., s. Couderc et al. . . . .	338-342
Speit, G., Mehnert, K., Vogel, W.: Induction of endoreduplication by hydrazine in Chinese hamster V 79 cells and reduced incidence of sister chromatid exchanges in endoreduplicated mitoses . . . . .	79-84
Stern, H., s. Hotta . . . . .	127-137
Stolzmann, W.M., s. Schmidt . . . . .	68-75
Szabo, P., s. Bernheim et al. . . . .	163-167
Tanksley, S.D.: Linkage relationships and chromosomal locations of enzyme-coding genes in pepper, <i>Capsicum annuum</i> . . . . .	352-360
Tease, C., s. Jones . . . . .	33-36
Tiwari, P.K., s. Lakhotia . . . . .	212-217
Tone, M., Sakaki, Y., Hashiguchi, T., Mizuno, S.: Genus specificity and extensive methylation of the W chromosome-specific repetitive DNA sequences from the domestic fowl, <i>Gallus gallus domesticus</i> . . . . .	228-237
Viegas-Pequignot, E., Benazzou, T., Prod'Homme, M., Dutrillaux, B.: Characterisation of a very complex constitutive heterochromatin in two <i>Gerbillus</i> species (Rodentia) . . . . .	42-47
Vogel, W., s. Speit et al. . . . .	79-84
Vries, J.N. de: Meiotic behaviour, stability, transmission and recombination in four balanced tertiary trisomics of rye ( <i>Secale cereale</i> L.) . . . . .	24-32
Widegren, B., s. Årnason et al. . . . .	228-242
Wobus, U., s. Panitz et al. . . . .	254-262
Wolff, S., s. Morgan . . . . .	285-289
Yagi, S.: Effects of ligation on ethanol-induced Balbiani ring puffing in salivary glands of <i>Chironomus</i> . . . . .	274-279
Zacharias, H.: Allocyclic behaviour and underreplication of the nucleolus chromosome in <i>Pseudodiamesa</i> (Chironomidae) . . . . .	263-273
Erratum:	
Wunderli, H., Westphal, M., Armbruster, B., Labhart, P.: Comparative studies on the structural organization of membrane-depleted nuclei and metaphase chromosomes. Chromosoma 88:241-248 (1983) . . . . .	397
Indexed in Current Contents	

